

H2A.XS139p polyclonal antibody

Cat. No. C15310223 (CS-PA003-100)

Type: Polyclonal Source: Rabbit Lot #: A592-001 Size: 100 μl

Concentration: not determined

Specificity: Human: positive / Other species: not tested

Purity: Whole antiserum from rabbit containing 0.05% azide.

Storage: Store at -20°C; for long storage, store at -80°C.

Avoid multiple freeze-thaw cycles.

Precautions: This product is for research use only. Not for

use in diagnostic or therapeutic procedures.

Description: Polyclonal antibody raised in rabbit against the region of histone variant H2A.X containing the phosphorylated serine 139 (H2A.XS139p), using a KLH-conjugated synthetic peptide.

Applications

| | Suggested dilution | Results |
|-------|--------------------|---------|
| ELISA | 1:500 | Fig 1 |

^{*}The optimal dilution for other applications should be determined by the end user. For WB we suggest starting with a 1:1,000 dilution

Target description

Histones are the main constituents of the protein part of chromosomes of eukaryotic cells. They are rich in the amino acids arginine and lysine and have been greatly conserved during evolution. Histones pack the DNA into tight masses of chromatin. Two core histones of each class H2A, H2B, H3 and H4 assemble and are wrapped by 146 base pairs of DNA to form one octameric nucleosome. Histone tails undergo numerous post-translational modifications, which either directly or indirectly alter chromatin structure to facilitate transcriptional activation or repression or other nuclear processes. In addition to the genetic code, combinations of the different histone modifications reveal the so-called "histone code".

Results




Figure 1. Determination of the antibody titer

To determine the titer of the antibody, an ELISA was performed using a serial dilution of the Diagenode antibody directed against H2A.XS139p (cat. No. CS-PA003-100). The plates were coated with the peptide used for immunization of the rabbit. By plotting the absorbance against the antibody dilution (Figure 1), the titer of the antibody was estimated to be 1:14,600.

LIEGE SCIENCE PARK
Rue Bois Saint-Jean, 3
4102 Seraing (Ougrée) - Belgium
Tel: +32 4 364 20 50
Fax: +32 4 364 20 51
orders@diagenode.com
info@diagenode.com

400 Morris Avenue, Suite 101 Denville, NJ 07834 - USA Tel: +1 862 209-4680 Fax: +1 862 209-4681 orders.na@diagenode.com info.na@diagenode.com Last update: September 4, 2012